

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	Goodman.in. and carousel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/08 17:00
S2	0	"20020152477".URPN.	USPAT	OR	OFF	2004/07/08 17:00
S3	4	Fries.in. and carousel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/08 17:01
S4	8	Kate.in. and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/08 17:03
S5	300	carousel and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 17:14
S6	0	(carousel and "725"/\$.ccls.) and birdwell.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 17:15
S7	89	(carousel and "725"/\$.ccls.) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 20:30
S8	0	((segment\$1 or object\$1) near10 (another near2 stream)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 18:57
S9	343	((segment\$1 or object\$1) with ((another or other or different) near2 stream)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 18:58
S10	180	((segment\$1 or object\$1) near10 ((another or other or different) near2 stream)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 18:58
S11	83	((segment\$1 or object\$1) near10 ((another or other or different) near2 stream)) and (@ad<="19991029" or @rlad<="19991029")and (carousel or cycl\$4 or repeat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 19:15

S12	8	Birdwell.in. and announcement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 19:31
S13	2	"5797001".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:33
S14	3568	(file near2 (header or ID\$1) near10 (data or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:34
S15	1215	((file near2 (header or ID\$1) near10 (data or content))) and (live or realtime or (real near2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:35
S16	10	((file near2 (header or ID\$1) near10 (data or content))) same (live or realtime or (real near2 time))same video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:36
S17	15	((file near2 (header or ID\$1) near10 (data or content))) same (live or realtime or (real near2 time))same (program or video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:38
S18	9	((file near2 (header or ID\$1) near10 (data or content))) same (live or realtime or (real near2 time))same (program or video or movie)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:39
S19	833	((file near2 (header or ID\$1) near10 (data or content))) same (program or video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:38
S20	122	((file near2 (header or ID\$1) near10 (data or content))) same (program or video or movie)same (segment\$1 or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:38
S21	82	((file near2 (header or ID\$1) near10 (data or content))) same (program or video or movie)same (segment\$1 or block)same (stor\$3 or sav\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:39
S22	45	((file near2 (header or ID\$1) near10 (data or content))) same (program or video or movie)same (segment\$1 or block)same (stor\$3 or sav\$3 or buffer\$3) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:48

S23	12571	(file near2 (table or list)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:49
S24	357	(file near2 (table or list) near4 (header or ID)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 20:49
S25	163	((file near2 (table or list) near4 (header or ID))same (stor\$3 or sav\$3 or buffer\$3)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 11:54
S26	20	Ellis.in. and (disk near2 array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 11:54
S27	1	Ellis.in. and (disk near2 array\$1)and (guide near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 15:53
S28	959364	725/136,139, "140", "142", "109,110,112". ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 15:55
S29	1253	725/136,139,140,142,109,110,112.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 15:56
S30	578	725/136,139,140,142,109,110,112.ccls. and (carousel\$1 or cycl\$3 or rotat\$3 or repeat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 15:57
S31	119	725/136,139,140,142,109,110,112.ccls. and ((carousel\$1 or cycl\$3 or rotat\$3 or repeat\$3)same stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 15:57
S32	50	(725/136,139,140,142,109,110,112.ccls. and ((carousel\$1 or cycl\$3 or rotat\$3 or repeat\$3)same stream)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 16:19
S33	2	Mcneill.in. and conference and chat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 19:00

S34	24	sahai.in. and configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 19:00
S46	4	("5797001" "6177930").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 20:20
S47	72	huynh.xa. and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 20:20
S48	4	huynh.xa. and decoder and "370"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 20:21
S49	19	("5109384"   "5550847"   "5652627"   "5666484"   "5680322"   "5751883"   "5768527"   "5768533"   "5918002"   "5930480"   "6026097"   "6031818"   "6032180"   "6085252"   "6104757"   "6141385"   "6172983"   "6275471"   "6310897").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/26 20:28
S50	1357	(live near3 (content or data or event or program)) same ((stored or shift\$3) near3 (data or program or content))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 20:30
S51	89	(live near3 (content or data or event or program)) same ((stored or shift\$3) near3 (data or program or content)) same (pars\$3 or extract\$3 or decod\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 20:30
S52	27	S51 and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 20:30
S53	66594	(detect\$3 or determin\$3 or monitor\$3) with (live or real\$1time or (real adj time)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:45
S54	10106	(detect\$3 or determin\$3 or monitor\$3) with (live or real\$1time or (real adj time))same (stor\$3 or sav\$3) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:42
S55	5413	(detect\$3 or determin\$3 or monitor\$3) with (live or real\$1time or (real adj time))with (stor\$3 or sav\$3) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:45

S56	85	S55 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:43
S57	178	S55 and ("725"/\$.ccls. or "386"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:45
S58	2576	(detect\$3 or determin\$3 or monitor\$3) with (live or real\$1time or (real adj time))with (stor\$3 or sav\$3)same (data or content or object) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:45
S59	118	S58 and ("725"/\$.ccls. or "386"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:45
S60	1950	(live with (immediat\$3 or real\$1time or (real adj time))) same (stor\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:48
S61	157	S60 and ("725"/\$.ccls. or "386"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:45
S62	63	S61 and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:18
S63	252	(live with (immediat\$3 or real\$1time or (real adj time) or instant)) with (present\$5 or display or replay\$3 or playback) same (stor\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:59
S64	105	S63 and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:49
S65	2	("6415438".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:00
S66	54	Sony.as. and Nvod and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:01

S67	21	Sony.as. and Nvod and stor\$3 and buffer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:03
S68	27	Sony.as. and Nvod and buffer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:04
S69	138	Sony.as. and buffer\$1 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:04
S70	23	Sony.as. and buffer\$1 and "725"/\$.ccls. and paus\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:17
S71	478	song.in. and segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:18
S72	64	song.in. and segment\$1 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:18
S73	30	S72 and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:23
S74	8314	(immediat\$3 near3 (playback or replay or display or present\$3)) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:22
S75	654	(immediat\$3 near3 (playback or replay or display or present\$3)) with (segment or object or content) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:26
S76	654	S75 and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:23
S77	495	S75 and (@ad<="19991029" or @rlad<="19991029") and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:23

S78	80	S75 and (@ad<="19991029" or @rlad<="19991029") and stor\$3 and live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:26
S79	1	(immediat\$3 near3 (playback or replay or display or present\$3)) with (segment or object or content) with live and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:24
S80	2	(immediat\$3 near3 (playback or replay or display or present\$3)) with (segment or object or content) same live and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:25
S81	148	(immediat\$3 near3 (playback or replay or display or present\$3)) with (segment or object or content) same stor\$3 and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:37
S82	8296	Burns.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:37
S83	23	Burns.in. and microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:57
S84	17	(bui.xa. and 'properties'.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 19:18
S85	2	"5589892".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 20:19
S86	6	feinleib.in. and phrase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 20:20
S87	3	Kate.in. and web and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 20:20
S88	5154	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:51

S89	494	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or sav\$3 or stor\$3) with (live or real\$1time or (real near2 time)) with (data or object or event or video or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:53
S90	328	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or sav\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near3 (data or object or event or video or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:54
S91	324	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or sav\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near3 (data or object or event or video or content)) and (video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:55
S92	483	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near32 (data or object or event or video or content)) and (video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:55
S93	271	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) and (video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56
S94	240	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) same (video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56
S95	1	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) same (video or movie) same (stb or stt or ('set top' near2 (unit or device)) or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:58
S96	212	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) same (video or movie) and (stb or stt or ('set top' near2 (unit or device)) or receiver or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:58
S97	72	(386/46,111,112,125,126).ccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) same (video or movie) and (stb or stt or ('set top' near2 (unit or device)) or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:05



S98	38	(725/100,101,109,110,112,131,132,133, 139-142,151-153).cccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) same (video or movie) and (stb or stt or ('set top' near2 (unit or device)) or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:08
S99	47	(725/100,101,109,110,112,131,132,133, 139-142,151-153).cccls. and (@ad<="19991029" or @rlad<="19991029") and ((record\$3 or stor\$3) with (live or real\$1time or (real near2 time)) near2 (data or object or event or video or content)) same (video or movie) and (stb or stt or ('set top' near2 (unit or device)) or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:21
S100	288	huynh.xa. and composition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:21
S101	20	huynh.xa. and composition\$1 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:21
S102	3	huynh.xa. and composition\$1 and video and "725"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:21
S103	1400	((725/135,136,139,141-142,151-153).cccls. or (348/157,563-564).cccls.) and (@ad<="19991029" or @rlad<="19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 19:27
S104	498	S103 and(live or realtime or (real near2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 19:28
S105	314	S103 and (((live or realtime or (real near2 time)) same (program or movie or object or event))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 19:29
S106	157	S103 and (((live or realtime or (real near2 time)) with (object or event or data or segment\$1)) same (television or program or movie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 19:31
S107	28	S103 and (((live or realtime or (real near2 time)) with (object or event or data or segment\$1) with (stor\$3 or sav\$3 or buffer\$3)) same (television or program or movie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 19:32

S10 8	62	S103 and (((live or realtime or (real near2 time)) with (object or event or data or segment\$1) with (stor\$3 or sav\$3 or buffer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 19:56
S10 9	5042	((live or real\$1time or (real near2 time)) with ((sav\$4 or memory or stor\$4 or buffer\$4) with (reference\$1 or id or identif\$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:43
S11 0	10805	"725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:43
S11 1	59771	"348"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:43
S11 2	130	S109 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:23
S11 3	238	S109 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:43
S11 4	209	S113 not S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:17
S11 5	8333	(stor\$3 or buffer\$3) same segment\$3 same complete\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:22
S11 6	183	"725"/\$.ccls. and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:18
S11 7	40466	(stor\$3 or buffer\$3) same (block\$1 or segment\$3 or fragment\$4) same complete\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:22
S11 8	5892	(stor\$3 or buffer\$3) same (block\$1 or segment\$3 or fragment\$4) same complete\$4 same (program\$1 or movie\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:26

S11 9	179	S118 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:38
S12 0	73	birk.in. and segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:38
S12 1	19	("5421031"   "5532735"   "5604731"   "5606359"   "5610653"   "5640194"   "5694334"   "5701582"   "5751336"   "5752160"   "5793412"   "5815491"   "5845279"   "5850218"   "5884141"   "5899582"   "6018539"   "6115786"   "6122662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 15:01
S12 2	8	kate.in. and trigger	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 15:02
S12 3	5	kate.in. and trigger	USPAT; DERWENT	OR	OFF	2005/05/13 15:02
S12 4	3	huynh.xa. and "725"/\$.ccls. and retransmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:55
S12 5	15	goodman.in. and carousel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:55
S12 6	3	("5440632"   "5539920"   "5625693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/15 16:03
S12 7	2649	Harrison.in. and associated	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/15 16:03
S12 8	60	Harrison.in. and (associated near2 data) and (web or Internet)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/15 16:04